





Intumescent Pipe Wraps

PFC Corofil Intumescent Pipe Wraps offer a simple and more economic alternative to Firestop collars for firestopping plastic pipework and electrical trunking in walls and floors. Tested to BS476 Part 20, Intumescent Pipe Wraps will provide up to 4 hours' fire protection.

- Simple to install
- No mechanical fixings
- Water resistant
- Maintenance free
- Available to suit pipe sizes up to 160mm O.D.
- Available to fit most electrical trunking sizes



PFC Corofil Intumescent Pipe Wrap sealed into compartment wall with PFC Corofil Firestop Compound



PFC Corofil Intumescent Pipe Wrap sealed into compartment floor using PFC Corofil Firestop Compound

Description

Pipe Wraps comprise layers of a graphite based intumescent sheet encapsulated in a polythene sheath. The product is manufactured to be wrapped around the outside diameter of the pipework or trunking and is secured by means of a self-adhesive strip. The Intumescent Pipe Wrap is then positioned within the compartment wall or floor so that the edge of the product is left exposed at the face of the wall or soffit.

The Intumescent Pipe Wrap is then sealed into the structure with PFC Corofil Firestop Compound.

Under fire conditions, the intumescent material expands against the structure and fills the void left by the burnt out plastic.

For walls it is necessary to fit two wraps to prevent the spread of fire from both sides of the wall.

NSPlus

Fire Rating

Outside diameter of Pipework	Fire Rating in hours
55mm	2 or 4
82mm	2 or 4
110mm	2 or 4
160mm	2 or 4

Specification

Install PFC Corofil Intumescent Pipe Wraps to provide up to 4 hours' fire protection to all plastic pipework and electrical trunking where they pass through fire rated walls and floors. Installation to be fully in accordance with manufacturer's instructions. See below for contact details.

To Order

Contact our technical sales office (Tel: +44 (0) 208 391 0533) with the following details:

- Outside diameter of pipework/size of electrical trunking
- Fire rating
- Quantity

Technical Information

For further information relating to the installation and Health & Safety, please refer to the Intumescent Pipe Wraps installation instructions.

